

Rittal – The System.

Faster – better – everywhere.

► Support arm, height-adjustable for support arm systems CP 120 – CP 6510.330

Date : Feb 26, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Support arm, height-adjustable for support arm systems CP 120 – CP 6510.330

created: 26.02.2018 on www.rittal.com/com-en



Product description

Description: Offers enhanced ergonomics thanks to adjustment range for tall and short operators, for seated and standing work adjustable to up to 800 mm as required via an adjustment screw at the front of the support arm. Clip-off plastic panels for access to integral cable routing.

Benefits:

- Precise coordination of the compression spring to the enclosure weight via an adjusting screw at the rear of the support arm
- Complete functional reliability – if the compression spring breaks, the arm will remain in position
- Tilting angle of the mounted enclosure is identical in every height position
- Cables with connectors such as DVI, VGA are also easily inserted
- Integral locking in three stages

Installation options: Maximum cross-section for cable entry 18 x 39 mm
Maximum number of cables that may be inserted: 3x Ø 7 mm and 2x Ø 8.5 mm

Colour: RAL 9006

Supply includes: Assembly parts

Note on Model No.: Weight range applies to configured enclosure and vertical support section.

Product features

Length: 1090 mm

Weight range: 15 kg...32 kg

Packs of: 1 pc(s).

Weight/pack:	19 kg
EAN:	4028177598140
Customs tariff number:	73269098
ETIM 6.0:	EC002622
ETIM 5.0:	EC002620
eCl@ss 8.0/8.1:	27189263
eCl@ss 7.0/7.1:	27189261
eCl@ss 6.0/6.1:	27189261
eCl@ss 5.1/5.1.4:	27189247
Product description (long):	CP Support arm, height-adjustable, for support arm system CP 120, L: 1090 mm, for weight range 15-32 kg
Approvals	
Declarations:	Manufacturer's declaration