

Rittal – The System.

Faster – better – everywhere.

▶ Command panel housing with door Stainless steel – CP 6535.010

Date : Mar 31, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Command panel housing with door Stainless steel – CP 6535.010

created : 31.03.2014 on www.rittal.com/com-en



Product description

Material:

- Enclosure and door: Stainless steel 1.4301 (AISI 304)
- Handle strips: Plastic approved for use with foodstuffs

Surface finish:

- Brushed, grain 240

Colour:

- Handle strips: similar to RAL 5002

Protection category IP to IEC 60 529:

- IP 66

Supply includes:

- Enclosure of all-round solid construction
- Cut-out and reinforcement for support arm system CP 40 stainless steel
- Fastener with guide plate
- Door with sealing frame and side handle strips
- Lock: 3 mm double-bit

Note:

- The support arm connection and door hinge may be swapped over by rotating the enclosure
- Matching mounting plates from compact enclosures AE may be used
- 3 mm double-bit lock insert may be exchanged for 41 mm lock inserts, plastic handles and T handles, type C

Packs of:

- 1 pc(s).

EAN:

- 32744

Customs tariff number:

- 94032080

Product features

Dimensions:




- Width: 300 mm
- Height: 300 mm
- Depth: 150 mm

Weight:


- 6.3 kg

Approvals

Approvals:


-  [UL \(EN\)](#)
-  [TÜV \(DE\)](#)
-  [TÜV \(EN\)](#)

Declarations:

-  [Declaration of conformity \(EN, DE\)](#)

Downloads

Data sheets:

-  [Technical details \(EN\)](#)

Please note that there are the following alternative products:



Command panel housing with door