

Rittal – The System.

Faster – better – everywhere.

► Mounting angles additional fastening attachment for L- shaped mounting angles – DK 7284.135

Date : Apr 13, 2015

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Mounting angles additional fastening attachment for L-shaped mounting angles – DK 7284.135

created : 13.04.2015 on www.rittal.com/com-en



Product description

Description:	The additional fastening attachment counteracts bending of the mounting angles mounted on installation brackets in case of unevenly distributed loads. It is attached directly to 482.6 mm (19") mounting angles and to the punched section with mounting flange fitted in the depth (inner mounting level).
Applications:	For upgrading existing TS applications for 800 mm wide TS network enclosures
Material:	Sheet steel
Surface finish:	Zinc-plated
Supply includes:	Assembly parts
Packs of:	2 pc(s).
EAN:	4028177167230
Customs tariff number:	73269098
eCl@ss 5.1:	27182504
eCl@ss 7.0:	27180907

Product features

To fit: Enclosure type: TS
Width: = 800 mm

Installation dimensions: Installation width: 482.6 mm / 19"

Weight/PU: 0.65 kg

Downloads

Documentation:  [Info sheet \(EN, DE\)](#)

CAD drawings: Request
