

Rittal – The System.

Faster – better – everywhere.

► Baying systems TS 8 IP 66/NEMA 4X – TS 8450.680

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Baying systems TS 8 IP 66/NEMA 4X – TS 8450.680

created : 18.03.2014 on www.rittal.com/com-en



Product description

Material:

- Door: Stainless steel 1.4301 (AISI 304)
- Rear panel: Stainless steel 1.4301 (AISI 304), 1.5 mm
- Mounting plate: Sheet steel 3.0 mm

Surface finish:

- Enclosure frame and gland plates: Uncoated
- Door, roof and rear panel: Exterior brushed, grain size 400
- Mounting plate: Zinc-plated

Protection category IP to IEC 60 529:

- IP 66

Protection category NEMA:

- NEMA 4X

Supply includes:

- Enclosure frame with door
- Roof
- Base, solid
- Rear panel
- Mounting plate
- 4 eyebolts
- Lock: 3 mm double-bit

Packs of:

- 1 pc(s).

EAN:

- 4028177602526

Product features

Dimensions:

- Width: 800 mm
- Height: 2000 mm
- Depth: 600 mm

Mounting plate:

- Width: 699 mm
- Height: 1896 mm



Number of doors:

- 1



Approvals**Approvals:**

-  [C-UL \(EN\)](#)

Declarations:

-  [Manufacturer's declaration \(EN, DE\)](#)
-  [Declaration of conformity \(EN, DE\)](#)

Downloads**Documentation:**

-  [Load brochure \(EN, DE\)](#)
-  [PE conductor brochure](#)

Please note that there are the following alternative products:

**Baying systems TS 8 IP 66/NEMA 4**

Weitere Informationen zu diesem Produkt

» www.rittal.com/com-en/Baying_systems_TS_8_IP_66/NEMA_4

**Baying systems TS 8 Stainless steel**

Weitere Informationen zu diesem Produkt

» www.rittal.com/com-en/Baying_systems_TS_8_Stainless_steel

**Baying systems TS 8 IP 66/NEMA 4****Baying systems TS 8 Stainless steel**



Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP