

Rittal – The System.

Faster – better – everywhere.

Earthquake base/plinth for VX, TS – TS 8601.860

Date : Sep 27, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Earthquake base/plinth for VX, TS – TS 8601.860

created: 27.09.2019 on www.rittal.com/com-en



Product description

Description: For stable attachment of the earthquake-resistant enclosure to the subsurface. External metric M6 thread for a stable connection to the subsurface from the outside.

Material: Corner pieces: Sheet steel 5 mm
Trim panels: Sheet steel 2 mm

Surface finish: Powder-coated

Colour: RAL 7022

Supply includes: Base/plinth, fully assembled
4 corner pieces
2 depth stays
1 trim panel front/rear

Note: Meets earthquake zone 4 to Telcordia GR-63-Core in conjunction with a comfort handle and an earthquake kit.

To fit Model No.: 8806.000
8806.500

Product features

To fit: Enclosure type: VX
Enclosure type: TS
Width: = 800 mm
Depth: = 600 mm

Dimensions: Height: 100 mm

Packs of:	1 pc(s).
Weight/pack:	15.9 kg
EAN:	4028177413597
Customs tariff number:	94039010
ETIM 6.0:	EC000721
ETIM 5.0:	EC000721
eCl@ss 8.0/8.1:	27182003
eCl@ss 7.0/7.1:	27182003
eCl@ss 6.0/6.1:	27182003
eCl@ss 5.1/5.1.4:	27182002
Product description:	TS Earthquake base/plinth for TS, H: 100 mm, for WD: 800x600 mm
Approvals	
Certificates:	EAC