

Rittal – The System.

Faster – better – everywhere.

► Comfort handle for TS, TS IT, SE, PC, IW – TS 8611.360

Date : Jun 7, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Comfort handle for TS, TS IT, SE, PC, IW – TS 8611.360

created : 07.06.2016 on www.rittal.com/com-en



Product description

Description:	As the handle does not take up any swing space, due to its folding mechanism, the door surface area may be maximised for installed equipment.
Material:	Die-cast zinc
Surface finish:	Powder-coated
Colour:	RAL 9005
Assembly instruction:	The handle adaptor is required for mounting on glazed door TS, lower door PC, designer door IW
Packs of:	1 pc(s).
EAN:	4028177300439
Customs tariff number:	83024110
eCl@ss 5.1:	27189220
eCl@ss 7.0:	27409217
ETIM 6.0:	EC000327

Product features


Design:	For semi-cylinder
----------------	-------------------

Note: Prepared for the installation of semi-cylinders with a total length of 40 or 45 mm (to DIN 18 252)

To fit:	Enclosure type: EL 3-part, 18 – 21 U Enclosure type: TS Enclosure type: TS IT Enclosure type: SE Enclosure type: PC enclosure door Enclosure type: IW Enclosure type: TS 8 bayed enclosure suites with comfort handle Enclosure type: SE 8 stainless steel
----------------	---

Weight/pack:	0.7 kg
---------------------	--------

Downloads

Documentation:	 Instructions EN, DE
-----------------------	--

CAD drawings:	Request
----------------------	---------
