

# Rittal – The System.

Faster – better – everywhere.

## ▶ TS punched section with mounting flange, 23 x 73 mm – TS 8612.580

Date : Jan 12, 2015

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS punched section with mounting flange, 23 x 73 mm – TS 8612.580

created : 12.01.2015 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

<b>Description:</b>	The alternative to the TS punched section with mounting flange 17 x 73 mm, with punchings for captive nuts/threaded blocks instead of the slotted holes top and bottom. Simply locate and secure.
<b>Material:</b>	Sheet steel
<b>Surface finish:</b>	zinc-plated
<b>Supply includes:</b>	Assembly screws
<b>Packs of:</b>	4 pc(s).
<b>EAN:</b>	4028177237407
<b>Customs tariff number:</b>	73269098
<b>eCl@ss 5.1:</b>	27189250
<b>eCl@ss 7.0:</b>	23159101

## Product features

<b>Design:</b>	For the inner mounting level
<b>To fit:</b>	Width: = 800 mm Depth: = 800 mm

---

<b>Installation options:</b>	On the vertical TS, SE enclosure section
------------------------------	--

---

<b>Weight:</b>	0.9 kg
----------------	--------

---

## Downloads

---

<b>Data sheets:</b>	 <a href="#">Technical details (EN)</a>
---------------------	--

---

<b>CAD drawings:</b>	Request
----------------------	---------

---

# Rittal – The System.

---

**Faster – better – everywhere.**

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG  
Postfach 1662 · D-35726 Herborn  
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319  
E-Mail: [info@rittal.com](mailto:info@rittal.com) · [www.rittal.com](http://www.rittal.com)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP