

# Rittal – The System.

Faster – better – everywhere.

## Punched rail 18 x 39 mm for VX, TS, SE – VX 8617.700

Date : Aug 1, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Punched rail 18 x 39 mm for VX, TS, SE – VX 8617.700

created: 01.08.2018 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

|                         |                                                                                                                                                                                                                                                                |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Description:</b>     | For variable, individual interior installation of the enclosure frame on the inner mounting level.                                                                                                                                                             |
| <b>Benefits:</b>        | May also be used in conjunction with other punched sections<br>Prepared at the rear to accommodate cable ties for optimum cable routing inside the enclosure<br>Simply insert into the system punchings, even with the mounting panel in its rearmost position |
| <b>Material:</b>        | Sheet steel                                                                                                                                                                                                                                                    |
| <b>Surface finish:</b>  | Zinc-plated                                                                                                                                                                                                                                                    |
| <b>Supply includes:</b> | Assembly parts                                                                                                                                                                                                                                                 |
| <b>Note:</b>            | In enclosures with a mounting plate, 2 punched rails are already included with the supply.                                                                                                                                                                     |

## Product features

|                              |                                                                                  |
|------------------------------|----------------------------------------------------------------------------------|
| <b>To fit:</b>               | Width/depth: 400 mm                                                              |
| <b>Installation options:</b> | On the horizontal and vertical VX enclosure section, on the inner mounting level |
| <b>Packs of:</b>             | 4 pc(s).                                                                         |
| <b>Weight/pack:</b>          | 1.62 kg                                                                          |
| <b>EAN:</b>                  | 4028177921702                                                                    |

|                                    |                                             |
|------------------------------------|---------------------------------------------|
| <b>Customs tariff number:</b>      | 73269098                                    |
| <b>ETIM 6.0:</b>                   | EC002625                                    |
| <b>ETIM 5.0:</b>                   | EC002625                                    |
| <b>eCl@ss 8.0/8.1:</b>             | 27189234                                    |
| <b>eCl@ss 7.0/7.1:</b>             | 27189234                                    |
| <b>eCl@ss 6.0/6.1:</b>             | 27189234                                    |
| <b>eCl@ss 5.1/5.1.4:</b>           | 27189234                                    |
| <b>Product description (long):</b> | VX Punched rail 18 x 38 mm, for W/D: 400 mm |