Rittal - The System.

Faster – better – everywhere.

Section for cable entry, centre for VX – VX 8618.803

Date: Nov 7, 2018



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Section for cable entry, centre for VX – VX 8618.803 created: 07.11.2018 on www.rittal.com/com-en



Product description	
Description:	The section is fitted directly onto the base opening and onto the enclosure frame. In this way, when installing the mounting plate in the rearmost mounting position, the cables may be routed directly onto a cable clamp rail without large bending radii. In conjunction with the cable clamp rail, this enables optimum adjustment between the cable entry and mounting plate.
Benefits:	Simple assembly Full-surface support High level of sealing of cables inserted into the enclosure
Applications:	For top-mounting on gland plates.
Material:	Extruded aluminium section Seal: PU foam Cross-section: 30 x 25 mm
Protection category IP to IEC 60 529:	IP 55 subject to correct mounting
Supply includes:	Plug-in sections, incl. foam rubber clamp strip
Note:	You will need two pieces per cable entry point. From an enclosure width of 1000 mm, the base assembly is divided into two sections in the width. Two cable entry points (left/right) may be used.
Product features	
To fit:	Width: = 1200 mm
Packs of:	4 pc(s).

© Rittal 2018

Weight/pack:	0.43 kg
EAN:	4028177922778
Customs tariff number:	76042990
ETIM 6.0:	EC000211
ETIM 5.0:	EC000211
eCl@ss 8.0/8.1:	27142421
eCl@ss 7.0/7.1:	27400604
e CI@ss 6.0/6.1:	27400604
e CI@ss 5.1/5.1.4:	27189222
Product description (long):	VX Section for cable entry, centre, for W: 1200 mm

© Rittal 2018