Rittal – The System.

Faster – better – everywhere.

Section for cable entry, rear for VX – VX 8618.810

Date: Nov 7, 2018



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Section for cable entry, rear for VX – VX 8618.810

created: 07.11.2018 on www.rittal.com/com-en



D			4.
Prod	liict (descri	ntion
	uot	ucscii	Puon

Benefits: Simple assembly

Full-surface support

High level of sealing of cables inserted into the enclosure

Applications: For top-mounting on gland plates.

Material: Extruded aluminium section

Seal: PU foam

Cross-section: 30 x 25 mm

Protection category IP to IEC 60 529:

IP 55 subject to correct mounting

Supply includes: PI

Plug-in sections, incl. foam rubber clamp strip

Note:

You will need two pieces per cable entry point.

From an enclosure width of 1000 mm, the base assembly is divided into two sections in

the width. Two cable entry points (left/right) may be used.

Product features

To fit: Width: = 600 mm

Packs of: 2 pc(s).

Weight/pack: 0.21 kg

EAN: 4028177922792

Customs tariff 76042990

© Rittal 2018

number:

ETIM 6.0:	EC002624	
ETIM 5.0:	EC002624	
eCl@ss 8.0/8.1:	27189265	
eCl@ss 7.0/7.1:	27400604	
eCl@ss 6.0/6.1:	27400604	
eCl@ss 5.1/5.1.4:	27189222	
Product description (long):	VX Section for cable entry, rear, for W: 600 mm	

© Rittal 2018