

Rittal – The System.

Faster – better – everywhere.

Support bracket TS – TS 8800.330

Date : Jan 12, 2015

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Support bracket TS – TS 8800.330

created : 12.01.2015 on www.rittal.com/com-en



Product description

Description: For the attachment of punched sections without mounting flange 23 x 73 mm or punched rails 23 x 23 mm.

Material: Die-cast zinc

Supply includes: 1 set = 1 support bracket, 1 stay, 3 metal screws 5.5 x 13 mm

Packs of: 6 set(s)

EAN: 4028177230958

Customs tariff number: 73182900

eCl@ss 5.1: 27189234

eCl@ss 7.0: 27189234

Product features


To fit: Enclosure type: TS 8

Installation options: On the vertical TS enclosure section (25 mm pitch pattern, 2 mm increments)
On the horizontal SE enclosure section, top in the width

Weight: 0.19 kg

Downloads

Documentation:

 [Instructions \(EN, DE\)](#)

CAD drawings:

Request

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP