Rittal - The System.

Faster – better – everywhere.

Section for cable entry, centre for TS, SE, CM, TP – TS 8802.160


Date : Jul 5, 2016



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Section for cable entry, centre for TS, SE, CM, TP – TS 8802.160

created: 05.07.2016 on www.rittal.com/com-en



Product description	
Description:	For sealing the cable entry between the gland plates.
Benefits:	Particularly well-suited to cables with identical cross-sections
Applications:	For top-mounting on gland plates.
Material:	Extruded aluminium section Foam rubber cable clamp strip: PU foam
Technical specifications:	Foam rubber cable clamp strip: Cross-section: 30 x 25 mm
Protection category IP to IEC 60 529:	IP 55 subject to correct mounting
Supply includes:	Plug-in sections, incl. foam rubber clamp strip
Note:	2 pc(s). are sufficient for one base opening up to an enclosure width of 800 mm From an enclosure width of 1000 mm, two base openings are provided. 4 packs per enclosure may be fitted
Packs of:	4 pc(s).
EAN:	4028177556829
Customs tariff number:	76042990
eCl@ss 5.1:	27189222

© Rittal 2016

eCI@ss 7.0:	27400604
ETIM 6.0:	EC000211
Product features	
To fit:	Enclosure type: TS Enclosure type: SE Enclosure type: CM Enclosure type: TP Width: = 1600 mm
Weight/pack:	0.62 kg
Downloads	
CAD drawings:	Request

© Rittal 2016 2