Rittal – The System.

Faster – better – everywhere.

Section for cable entry, rear for TS, SE, CM, TP – TS 8802.165



ENCLOSURES

POWER DISTRIBUTION 📎 CLIMATE CONTROL

FRIEDHELM LOH GROUP

Section for cable entry, rear for TS, SE, CM, TP – TS 8802.165

created: 05.07.2016 on www.rittal.com/com-en



Product description

Description:	For sealing the cable entry at the base opening.
Benefits:	Particularly well-suited to cables with identical cross-sections When installing the mounting plate in the rearmost position, the cables may be routed directly with no large radii.
Applications:	Mount directly on the base opening/base tray and gland plate
Material:	Extruded aluminium section Foam rubber cable clamp strip: PU foam
Technical specifications:	Foam rubber cable clamp strip: Cross-section: 30 x 25 mm
Protection category IP to IEC 60 529:	IP 55 subject to correct mounting
Supply includes:	Plug-in sections, incl. foam rubber clamp strip
Note:	2 pc(s). are sufficient for one base opening up to an enclosure width of 800 mm From an enclosure width of 1000 mm, two base openings are provided. 4 packs per enclosure may be fitted
Packs of:	4 pc(s).
EAN:	4028177556836
Customs tariff number:	76042990

eCl@ss 5.1:	27189222
eCl@ss 7.0:	27400604
ETIM 6.0:	EC002624
Product features	
To fit:	Enclosure type: TS 8 Enclosure type: CM Enclosure type: TP Width: = 1600 mm
Weight/pack:	0.6 kg
Downloads	
CAD drawings:	Request