

Rittal – The System.

Faster – better – everywhere.

OM adaptors with connection cables – SV 9340.350

Date : May 23, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



OM adaptors with connection cables – SV 9340.350

created : 23.05.2016 on www.rittal.com/com-en



Product description

| | |
|-------------------------------|---|
| Material: | Polyamide (PA 6.6) Fire protection corresponding to UL 94-V0 |
| Colour: | Chassis: RAL 7035 |
| Note: | The technical data may vary for UL applications |
| Packs of: | 1 pc(s). |
| EAN: | 4028177525559 |
| Customs tariff number: | 85369085 |
| eCl@ss 5.1: | 27370302 |
| eCl@ss 7.0: | 27370304 |
| ETIM 6.0: | EC001531 |

Product features

| | |
|-----------------------------|---|
| To fit busbars: | with cross-section height: 5 mm with cross-section height: 10 mm |
| Number of poles: | 3-pole |
| For bar systems with | 60 mm |

**centre-to-centre
spacing:**

| | |
|-------------------------------------|---|
| Dimensions: | Width: 45 mm Height: 208 mm |
| Rated operating voltage: | 690 V, 3~ |
| Connection cable: | Cross-section: AWG 10 Length: 130 mm |
| Support frame: | Width: 45 mm Height: 170 mm |
| Rated current (max.): | 32 A |
| Number of support rails: | 1 |
| Height of support rails: | 10 mm |
| Support rail type: | TS 45C |
| Weight/pack: | 0.3 kg |



Approvals

Approvals:  [C-UL \(EN\)](#)
 [Germanischer Lloyd \(EN\)](#)
 [UR + C-UR \(EN\)](#)

Declarations:  [Declaration of conformity \(EN, DE\)](#)
 [Manufacturer's declaration \(DE\)](#)

Downloads

Data sheets:  [Technical details](#)
EN

Documentation:  [Instructions \(FR, EN, DE\)](#)
 [Safety instructions \(DE, EN, FI, FR, NL, IT, PL, PT, SE, RU, ES, HU, SK\)](#)

CAD drawings: Request