

Rittal – The System.

Faster – better – everywhere.



SV 9629.000

Mini-PLS component adaptor

State: 06/02/2023 (Source: rittal.com/com-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9629.000 - Mini-PLS component adaptor

Maximum rated current from 12 A to 100 A.

Features

Model No.	SV 9629.000
Material	Polyamide Fire protection corresponding to UL 94-V0
Colour	RAL 9011
Connection cables (AWG)	35 mm ²
Rated operating voltage	690 V, 3~
Rated current max.	100 A
Dimensions	Width: 90 mm Height: 160 mm
To fit manufacturer (model)	ABB Eaton Schneider Electric Siemens MS451 max. 40 A MS495 MS496 MS497 T1 T2 NZM 1 PKZM4 NS 80 GV3 3RV10 31 3RV1341/42
Packs of	1 pc(s).
Weight/pack	0.794 kg
Copper weight (kg per piece)	0.23

Features

Customs tariff number	85369095
EAN	4028177149861
ETIM 7.0	EC001531
ECLASS 8.0	27370304

Approvals

Certificates	EAC
Explanations	Declaration of conformity Declaration of conformity UK