


Accessory for 3KD size 1/2, 3KF size 1 3KC0 size 1/2, Auxiliary switch 1 change-over contact, solid-state-compatible with connecting cable 500 mm



Model	
product brand name	SETRON
product designation	Accessories for switch disconnectors
design of the product	Auxiliary switch
Auxiliary circuit	
number of CO contacts / of auxiliary contacts / instantaneous contact	1
number of NC contacts / for auxiliary contacts / instantaneous contact	0
number of NO contacts / for auxiliary contacts / instantaneous contact	0
operational current / of auxiliary contacts	0.1 A
• at AC-13 / at 230 V	
Suitability	
suitability for use	For 3KD sizes 1 and 2
Product details	
product description	1 CO contact, solid-state compatible
Connections	
type of electrical connection	with soldered-on cable (finely stranded) 0.75mm ² (AWG18), 50cm long
• for auxiliary and control circuit	Soldering tag connection
Mechanical Design	
fastening method	Can be plugged in and integrated
net weight	24.6 g
Certificates	
reference code	
• acc. to DIN EN 61346-2	SF
• acc. to IEC 81346-2	SF
General Product Approval	
Declaration of Conformity	



[Miscellaneous](#)



Marine / Shipping other

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=3KD9103-3>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3KD9103-3>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=3KD9103-3

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

