



General details:		
Number of poles		3
Type of fixing/fixation		screw and snap-on mounting onto 35 mm standard mounting rail according to DIN EN 50022
<ul style="list-style-type: none"> • Series installation 		Yes
Operating reactive power / at AC-6b		
<ul style="list-style-type: none"> • at 230 V / at 50/60 Hz / rated value <ul style="list-style-type: none"> • minimum • maximum • at 400 V / at 50/60 Hz / rated value <ul style="list-style-type: none"> • minimum • maximum • at 500 V / at 50/60 Hz / rated value <ul style="list-style-type: none"> • minimum • maximum • at 690 V / at 50/60 Hz / rated value <ul style="list-style-type: none"> • minimum • maximum 	kvar kvar kvar kvar kvar kvar	3 7.5 5 12.5 7.5 15 10 21
Item designation / according to DIN EN 61346-2		Q
Item designation / according to DIN 40719 extendable after IEC 204-2 / according to IEC 750		K

Protection class IP		IP20
Width	mm	45
Height	mm	83
Depth	mm	110
Ambient temperature • during the operating phase	°C	-25 ... 60

Control circuit:

Type of voltage		AC
Control supply voltage • at 50 Hz / at AC / rated value / minimum • at 50 Hz / at AC / rated value / maximum • at 60 Hz / at AC / rated value / minimum • at 60 Hz / at AC / rated value / maximum	V	230
	V	230
	V	230
	V	230
Supply voltage frequency / for auxiliary and control current circuit / rated value • minimum • maximum	Hz	50
	Hz	60

Main circuit:

Number of NC contacts / for main contacts		0
Number of NO contacts / for main contacts		3
Operating current / at AC-1 / at 400 V / rated value	A	18

Auxiliary circuit:

Identification number and letter for switching elements		11
Number of NO contacts / for auxiliary contact		1
Number of NC contacts / for auxiliary contact		1

Connection type:

Design of the electrical connection / for main current circuit		screw-type terminals
design of the electrical connection / for auxiliary and control current circuit		screw-type terminals

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Global Industry Mall (Online ordering system)



<http://www.siemens.com/industrial-controls/mall>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WWW/view/en/3RT1617-1AP03/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RT1617-1AP03



last change:

Jun 14, 2010