

TWO-HAND OPERATION CONSOLE FOR CONTROL DEVICES,  
22MM, ROUND, ENCLOSURE MATERIAL METAL, ENCLOSURE  
TOP PART GRAY, 3 COMMAND POINTS, WITHOUT FASTENING



Figure similar

Enclosure:	
Design of the housing	Two-hand operation console
Shape of the enclosure front	rectangular
Material of the enclosure	metal
Number of command points	3
Product component	
• protective collar	Yes
Color	
• of top part of the enclosure	grey
Delivery state	
• as a kit	No
• pre-wired on strip terminal	No
Mounting type of the enclosure	Horizontal
Actuator:	
Product feature	
• lockout	No
Product expansion optional Light source	Yes
Front ring:	

<b>Product component front ring</b>	No
<b>General technical data:</b>	
<b>Product function</b>	
• positive opening	No
• EMERGENCY STOP function	No
<b>Product component</b>	
• Light source	No
• Stand/pedestal	No
<b>Protection class IP</b>	IP65
<b>Vibration resistance</b>	
• acc. to IEC 60068-2-6	20 ... 200 Hz: 5g
<b>Equipment marking</b>	
• acc. to DIN 40719 extended according to IEC 204-2 acc. to IEC 750	S
• acc. to DIN EN 61346-2	S
• acc. to DIN EN 81346-2	S
<b>Connections/ Terminals:</b>	
<b>Type of electrical connection on enclosure</b>	Cable routing above and below, both 1 x M20
<b>Ambient conditions:</b>	
<b>Ambient temperature</b>	
• during operation	-25 ... +70 °C
• during storage	-40 ... +80 °C
<b>Environmental category during operation acc. to IEC 60721</b>	3K6
<b>Installation/ mounting/ dimensions:</b>	
<b>Mounting type</b>	
• of contact blocks, socket, and accessories	Front mounting
<b>Height</b>	469 mm
<b>Width</b>	137 mm
<b>Depth</b>	185 mm
<b>Shape of the installation opening</b>	round
<b>Mounting diameter</b>	22 mm
<b>Accessories:</b>	
<b>Product component holder for 3 switching elements</b>	No
<b>Certificates/approvals</b>	

General Product Approval	Declaration of Conformity	Test Certificates	Shipping Approval	other
--------------------------	---------------------------	-------------------	-------------------	-------



[spezielle Prüfbescheinigung](#)  
n



[Bestätigungen](#)

[Umweltbestätigung](#)

## Further information

### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=3SB38634BC>

### Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mfb=3SB38634BC>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SB38634BC>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mfb=3SB38634BC&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mfb=3SB38634BC&lang=en)



last modified:

08.01.2016