

Cover for position switch Plastic 3SE52, for Enclosure according to EN 50047, 31 mm Color yellow



Product designation	cover for enclosures EN 50047, plastic, yellow
General technical data	
Protection class IP	IP65
Shock resistance	30 g / 11 ms
<ul style="list-style-type: none"> • acc. to IEC 60068-2-27 	
Vibration resistance	0.35 mm/5g
<ul style="list-style-type: none"> • acc. to IEC 60068-2-6 	
Length of the sensor	53 mm
Width of the sensor	31 mm
Design of the interface for safety-related communication	without
Enclosure	
Design of the housing	block, narrow
Coating of the enclosure	Other types
Drive Head	
Design of the operating mechanism	Other, without, cover
Communication/ Protocol	
Design of the interface	without

Ambient conditions

Ambient temperature	
• during operation	-25 ... +85 °C
• during storage	-40 ... +90 °C
Explosion protection category for dust	none

Installation/ mounting/ dimensions

Mounting position	any
Mounting type	screw fixing

Certificates/ approvals

General Product Approval	Functional Safety/Safety of Machinery
---------------------------------	--



[KC](#)



[Type Examination Certificate](#)

Declaration of Conformity	Test Certificates	other
----------------------------------	--------------------------	--------------



[Miscellaneous](#)

[Type Test Certificates/Test Report](#)

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SE5230-0AA00-1AG0>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SE5230-0AA00-1AG0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SE5230-0AA00-1AG0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SE5230-0AA00-1AG0&lang=en



last modified:

01/24/2020