

box terminal 3 units accessory for: 3VA4/5 125



Model	
Product brand name	SENTRON
Product designation	accessories





Connections according IEC	
IEC-marking / of terminals	NXB 1.5-70 mm ² AWG14-3/0
Connectable conductor cross-section	
<ul style="list-style-type: none"> • for copper cable / stranded / minimum • for copper cable / stranded / maximum 	1.5 mm ² 70 mm ²
Wire stripping length	12 mm

Connections according UL	
UL-marking / of terminals	TS1.1 Xuebote
Wire stripping length	0.5 in
Connectable conductor cross-section	
<ul style="list-style-type: none"> • for copper cable / solid / minimum • for copper cable / solid / maximum 	14 AWG 10 AWG

- for copper cable / stranded / minimum
- for copper cable / stranded / maximum
- for copper cable / finely stranded / minimum
- for copper cable / finely stranded / maximum

14 AWG
3/0 AWG
14 AWG
3/0 AWG

Certificates

General Product Approval	EMC	Declaration of Conformity	Shipping Approval
 UL		 EG-Konf.	 LRS

[Miscellaneous](#)



RCM

other

[Manufacturer Declaration](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9133-0JA11>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9133-0JA11>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9133-0JA11

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

11/19/2019