

Pin busbar touch-safe, 16 mm<sup>2</sup> 2-phase+AUX, 1016 mm long can be cut, without end caps



Figure similar

Model	
Product brand name	SETRON
Product designation	Pin busbar
Design of the product	16mm <sup>2</sup> 2PH+HS L1016mm
Busbar design	laminated
General technical data	
Surface processing / tin-plated	No
Main circuit	
Operating current / rated value	80 A
Product details	
Product feature / flexible	Yes
Mechanical Design	
Width	15.8 mm
Length	1 016 mm
Thickness / of busbar	17.3 mm
Net weight	455.35 g

## Certificates

Waste electronic equipment must not be disposed as unsorted municipal waste, e.g. household waste. For disposing the waste electronic equipment it is necessary to observe the current local national/international regulations.



Declaration of Conformity

other

[Miscellaneous](#)

EG-Konf.

## Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**<http://www.siemens.com/lowvoltage/catalogs>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3707>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/en/ps/5ST3707>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST3707](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3707)**CAX-Online-Generator**<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

