

Summation current transformer 70 mm



Figure similar

Model	
Product brand name	SENTRON
Product designation	summation current transformer
Residual current (I <sub>dn</sub> ) / minimum	30 mA
Internal diameter / of summation current transformer	70 mm
Type of voltage / for actuation	AC
Operating voltage / rated value	
• maximum	720 V
Starting current / limited to 2 s / maximum	1 200 A
Main circuit	
Operating frequency / rated value	
• minimum	50 Hz
• maximum	60 Hz
Operating current / Rated value	200 A
Control current	
Control supply voltage	

- at AC / at 50 Hz / rated value / maximum 720 V
- at AC / at 60 Hz / rated value / maximum 720 V

### Auxiliary circuit

Number of CO contacts / for auxiliary contacts	0
Number of NC contacts / for auxiliary contacts	0
Number of NO contacts / for auxiliary contacts	0

### Suitability

Suitability for operation	For AC networks
---------------------------	-----------------

### Product function

Product function / Fault storage	No
----------------------------------	----

### Connections

Type of electrical connection	screw-type terminals
-------------------------------	----------------------

### Mechanical Design

Height	33 mm
Width	130 mm
Depth	110 mm

### Certificates

Reference code	
• acc. to DIN EN 61346-2	F
• acc. to DIN EN 81346-2	F

### General Product Approval

### Declaration of Conformity



### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**  
<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=5SV8703-0KK>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**  
<https://support.industry.siemens.com/cs/ww/en/ps/5SV8703-0KK>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mfb=5SV8703-0KK](http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=5SV8703-0KK)

**CAX-Online-Generator**  
<http://www.siemens.com/cax>

**Tender specifications**  
<http://www.siemens.com/specifications>

