



DIGITAL TIME SWITCH TOP 1 CHANNEL WEEK 230V 2 TE

Similar to image

Technical data:

| | | |
|---|-----|------------|
| Design of the switching function | | CO contact |
| Type of mounting | | DIN rail |
| Type of voltage / of the supply voltage | | AC |
| Protection class IP | | IP20 |
| Depth | mm | 64 |
| Height | mm | 83 |
| Width | mm | 36 |
| Accuracy / per day | s | 0.86 |
| Plus petit intervalle de temps de commutation | | |
| <ul style="list-style-type: none"> • de la voie 1 | min | 1 |
| Équipement du produit | | |
| <ul style="list-style-type: none"> • entrée externe bouton-poussoir | | No |
| <ul style="list-style-type: none"> • contact de commutation sans potentiel | | Yes |
| Product function | | |
| <ul style="list-style-type: none"> • 24-hour time program | | Yes |
| <ul style="list-style-type: none"> • passage automatique sur heure d'été/heure d'hiver | | No |
| <ul style="list-style-type: none"> • programme temporel Vacances | | No |
| <ul style="list-style-type: none"> • présélection de commutation | | Yes |

| | | |
|--|----|-----|
| • programme temporel hebdomadaire | | Yes |
| • programme temporel 60 mn | | Yes |
| • compteur d'heures de fonctionnement | | No |
| • programme temporel annuel | | No |
| • programme temporel aléatoire | | No |
| • programme temporel de cycle | | No |
| • programme astro | | No |
| • programme impulsion | | No |
| • guide texte sur écran | | Yes |
| • direct operation | | Yes |
| Mode de fonctionnement | | |
| • radiocommandé | | No |
| • synchronisation réseau | | No |
| • commande piézo-électrique | | No |
| Supply voltage frequency | | |
| • minimum | Hz | 50 |
| • maximum | Hz | 50 |
| Supply / rated power loss Pv | | 2VA |
| Supply voltage | | |
| • initial value | V | 230 |
| • final value | V | 230 |
| Number of pitch units for width | | 2 |
| Number of channels | | 1 |
| Switching capacity current / at 250 V / with AC / nominal value | A | 16 |
| Nombre d'espaces mémoire | | 56 |

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Global Industry Mall (Online ordering system)

<http://www.siemens.com/lowvoltage/mall>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<http://support.automation.siemens.com/WWW/view/en/7LF4411-0/all>


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7LF4411-0

Tender specifications

[Datanorm GAEB81](#) [GAEB83](#) [RTF](#) [TXT](#)





last change:

May 23, 2011