



Door-coupling rotary operating mechanism Emergency switching-off with tolerance compensation Size 100 x 100 mm Shaft 8 x 8, 300 mm, 0-I, Complete unit Handle size 100 mm Accessory for 3KD size 3, 3KF size 2

Model	
product brand name	SETRON
design of the product	EMERGENCY OFF with tolerance compensation
design of handle	Red-yellow
design of the door lock system	Door interlocking
size of cross-section / of the shaft / of door-coupling rotary operating mechanism	8x8 mm
size format / of the masking frame / of door-coupling rotary operating mechanism	100x 100 mm
length of handle	100 mm
length of shaft / of door-coupling rotary operating mechanism	300 mm
protection class IP	IP65
Product details	
product description	size 100x100 mm, shaft 8 x 8 mm
product feature / interlock	Yes
product component	
• extension shaft	Yes
• handle for emergency-OFF function	Yes
product feature / lockable	Yes
Accessories	
accessories	Door-coupling rotary operating mechanism
display version / for switch position indicator	0-I
Mechanical Design	
height	144 mm
width	98 mm
depth	450 mm
net weight	848 g
<b>General Product Approval</b>	
<b>Declaration of Conformity</b>	



[UK Declaration of Conformity](#)

Marine / Shipping other

#### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1141-2AF25>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/8UD1141-2AF25>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8UD1141-2AF25](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1141-2AF25)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



