

SIGNALLING COLUMN STEADY LIGHT RED,
12...240V AC/DC



General technical details:		
product brand name		SIRIUS
product designation		signaling columns element, optical
Product component / fluorescent materials		No
Design of the optical signal		continous light
Type of voltage		
<ul style="list-style-type: none"> • of the operating voltage 		AC/DC
Operating frequency		
<ul style="list-style-type: none"> • 1 / rated value 	Hz	50
<ul style="list-style-type: none"> • 2 / rated value 	Hz	60
Operating voltage		
<ul style="list-style-type: none"> • for DC / rated value 	V	230 ... 12
<ul style="list-style-type: none"> • at 50 Hz / at AC / rated value 	V	12 ... 230
<ul style="list-style-type: none"> • at 60 Hz / at AC / rated value 	V	12 ... 230
Supply voltage		
<ul style="list-style-type: none"> • of the fluorescent material / at 50 Hz / for AC / rated value 	V	12 ... 230
<ul style="list-style-type: none"> • of the fluorescent material / at 60 Hz / for AC / rated value 	V	12 ... 230
<ul style="list-style-type: none"> • of the fluorescent material / for DC / rated value 	V	12 ... 230
Item designation		
<ul style="list-style-type: none"> • according to DIN 40719 extendable after IEC 204-2 / according to IEC 750 		H

• according to DIN EN 61346-2

P

Mechanical design:

Color / of the optical signal element

red

External diameter / of the signal column element

mm

70

Lamp:

Nature of fluorescent material

filament lamp / LED

Ambient conditions:

ambient temperature

• during the operating phase

°C

-20 ... 50

Protection class IP

IP65

Depth

mm

70

Height

mm

56

Width

mm

70

Certificates/approvals:

General Product Approval

Shipping Approval

other

[ROSTEST](#)



[Manufacturer](#)

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

CAX-Online-Generator



<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/8WD4400-1AB/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WD4400-1AB



last change:

May 16, 2011