


Technical Data C CAx data


SIGNALLING COLUMN STEADY LIGHT GREEN, 12...240V AC/DC



General technical details:				
product brand name		SIRIUS		
product designation		signaling columns element, optical		
Product component / fluorescent materials	_	No		
Design of the optical signal	_	continous light		
Type of voltage				
 of the operating voltage 		AC/DC		
Operating frequency				
 1 / rated value 	Hz	50		
 2 / rated value 	Hz	60		
Operating voltage	-			
 for DC / rated value 	V	23012		
 at 50 Hz / at AC / rated value 	V	12230		
 at 60 Hz / at AC / rated value 	V	12230		
Supply voltage				
 of the fluorescent material / at 50 Hz / for AC / rated value 	V	12230		
 of the fluorescent material / at 60 Hz / for AC / rated value 	V	12230		
 of the fluorescent material / for DC / rated value 	V	12230		
Item designation				
 according to DIN 40719 extendable after IEC 204-2 / according to IEC 750 		Н		
 according to DIN EN 61346-2 		Р		

Mechanical design:					
Color / of the optical signal element		green			
External diameter / of the signal column element	mm	70			
1 emm					
Lamp: Nature of fluorescent material		filement lemp (IED			
Nature of hubrescent material		filament lamp / LED			
Ambient conditions:					
ambient temperature					
 during the operating phase 	C	-2050			
Protection class IP		IP65			
Depth	mm	70			
Height	mm	56			
Width	mm	70			
Certificates/approvals:					
	_				
General Product Approval Shipping Approval	,		other		
ROSTEST UL BV (Bureau Veritas)	×	DNV (Det Norske Veritas)	Manufacturer		
Further information:					
Information- and Downloadcenter (Catalogs, Brochures,)					
http://www.siemens.com/industrial-controls/catalogs					
Industry Mall (Online ordering system)					
http://www.siemens.com/industrial-controls/mall					
CAx-Online-Generator					
http://www.siemens.com/cax					
Service&Support (Manuals, Certificates, Characteristics, FAQs,) http://support.automation.siemens.com/WW/view/en/8WD4400-1AC/all					
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams,) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WD4400-1AC					





http://support.automation.siemens.com/GB/view/en/23216751&td=1

last change:

May 16, 2011

© Siemens AG 2011 - Corporate Information - Privacy Policy - Terms of Use