



SIGNALLING COLUMN STEADY LIGHT YELLOW,  
12...240V AC/DC

General technical details:		
<b>product brand name</b>		SIRIUS
<b>product designation</b>		signaling columns element, optical
<b>Product component / fluorescent materials</b>		No
<b>Design of the optical signal</b>		continous light
<b>Type of voltage</b>		
• of the operating voltage		AC/DC
<b>Operating frequency</b>		
• 1 / rated value	Hz	50
• 2 / rated value	Hz	60
<b>Operating voltage</b>		
• for DC / rated value	V	230 ... 12
• at 50 Hz / at AC / rated value	V	12 ... 230
• at 60 Hz / at AC / rated value	V	12 ... 230
<b>Supply voltage</b>		
• of the fluorescent material / at 50 Hz / for AC / rated value	V	12 ... 230
• of the fluorescent material / at 60 Hz / for AC / rated value	V	12 ... 230
• of the fluorescent material / for DC / rated value	V	12 ... 230
<b>Item designation</b>		
• according to DIN 40719 extendable after IEC 204-2 / according to IEC 750		H

- according to DIN EN 61346-2

P

#### Mechanical design:

**Color / of the optical signal element**

yellow

**External diameter / of the signal column element**

mm

70

#### Lamp:

**Nature of fluorescent material**

filament lamp / LED

#### Ambient conditions:

**ambient temperature**

- during the operating phase

°C

-20 ... 50

**Protection class IP**

IP65

**Depth**

mm

70

**Height**

mm

56

**Width**

mm

70

#### Certificates/approvals:

**General Product Approval**

**Shipping Approval**

**other**

[ROSTEST](#)



[Manufacturer](#)

#### Further information:

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrial-controls/mall>

**CAX-Online-Generator**



<http://www.siemens.com/cax>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/8WD4400-1AD/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8WD4400-1AD](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WD4400-1AD)



last change:

May 16, 2011