

SIGNALLING COLUMN CONNECT. ELEMENT FOR WITH PIPE MOUNTING COVER LID, CAGE CLAMP



Figure similar

General technical data:

product brandname	SIRIUS
Product designation	Connection element
Equipment marking	
<ul style="list-style-type: none"> • acc. to DIN EN 61346-2 • acc. to DIN EN 81346-2 	<p>X</p> <p>X</p>





Mechanical data:

Type of electrical connection	spring-loaded terminals
Outer diameter of the signal column element	70 mm

Ambient conditions:

Ambient temperature during operation	-20 ... +50 °C
Protection class IP	IP65
Height	36 mm
Width	70 mm

Certificates/approvals

General Product Approval	EMC	Declaration of Conformity	other
 UL		 C-Tick	 EG-Konf.

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WD4408-0AD>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=8WD4408-0AD>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8WD4408-0AD>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=8WD4408-0AD&lang=en



last modified:

07/26/2017

8W4408-0AA_A