

NEOZED FUSE LINK 400V GL, SIZE D02, 25A IN FOLDING BOX



Model		
Product variations		Pack of 10
Design of the fuse link		NEOZED fuse links
General technical data		
Size of fuse system / acc. to DIN EN 60269-1		D02
Operating class of the fuse link		gG
circuit-breaker / Design		5SE2
Protection class		
Protection class IP		IP20, with connected conductors
Switching capacity		
Switching capacity current / acc. to IEC 60947-2		
<ul style="list-style-type: none"> <li>Rated value</li> </ul>	kA	50
Dissipation		
Active power loss		
<ul style="list-style-type: none"> <li>for rated value of the current / with AC / in hot operating state / per pole</li> </ul>	W	1.7
Electricity		

**rated current I<sub>n</sub> / IEC, DIN/VDE**

- at 40 Cel

A 23.75

**Current / with AC**

- Rated value

A 25

**Appearance****Color coding of the fuse link**

yellow

**Mechanical Design****mounting position**

Any, preferably vertical

**Environmental conditions****Ambient temperature**

- minimum
- maximum

°C -5

°C 40

**Climate class**

Up to 45°C at 95 % rel. humidity

**General Product Approval****Declaration of  
Conformity****Test Certificates**

ÖVE



GOST



VDE



EG-Konf.

[other](#)**Test Certificates**

[Type Test  
Certificates/Test  
Report](#)

[Special Test  
Certificate](#)

[Environmental  
Confirmations](#)

**Further information****Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5SE2325>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/5SE2325/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5SE2325](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SE2325)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

21.10.2014