


Pokini Tab A10B, 64GB, 4GB, W10 IoT, GPS

Robust - fanless - splash-proof

- Glove operation possible
- display that is easy to read even in sunlight (600 cd/m²)
- IP65 (dirt and splash water protected)
- fall-proof from 1 meter height
- Life cycle until at least 2022



The device can withstand falls from a height of 1 m with an optional protective frame even from a height of 1.8 m. The shock, water and dust proof (IP65) housing allows the use in trade, construction, military and other demanding environments without the use of an additional protective frame.

With the new Microsoft Windows 10, seamless collaboration with the workplace is possible. There are no software compatibility problems! All native desktop applications as they are used on a Windows notebook or desktop PC also run on this tablet. In addition, it enables easy integration into the existing IT infrastructure thanks to the familiar Microsoft security solutions.

The fully charged battery lasts up to 14 hours (WiFi, video playback and mobile data network activated) and supports you for an entire working day. The battery compartment can be opened without accessories to insert a new battery if necessary.

 **Sunlight Readable Display**

 **high break and scratch resistance due to gorilla glass**

 **Pen operation possible**

 **Glove operation possible**

 **Dual WiFi (2.4 Ghz / 5 Ghz)**

 **NFC**

 **USB 3.1 Type-C**

TABLET

Manufacturer

Pokini

PROCESSOR

Name	Atom™
Type	E3940
Number of Cores	4
Number of Threads	4
Clock Speed	1,60 GHz
max. Clock Speed with Intel® Burst-Frequency-Technic	1,80 GHz
L2 Cache	2048 KB
Bit-Rate	64
max. TDP	9,5 Watt
GPU	Intel® HD Graphics 500

OPERATING SYSTEM

Version	Windows® 10 IoT Enterprise 2019 LTSC Entry
Optional Operating System	Windows® 10 Pro 64-bit

DISPLAY

Display	10.1" (25.65 cm)
---------	------------------



expandable memory via microSD



crash-proof



dust-tight and protection against water jets



disinfectable



Kensington Lock



Temperature range from -20°- 50°C



replaceable battery



long-term availability

Errors and changes excepted.
Illustration may differ from the actual product.

Display Type	IPS Sunlight Readable Outdoor Display
Resolution	2,560 x 1,600 pixels
Brightness	600 cd/m²
Contrast	800:1
Display-Protection-Glass	Corning® Gorilla® glass 3
Touchscreen	capacitive
Touch-Device	Multi-Touch (10 fingers)
Pen Control	yes (passive)
Finger Control	yes (in dry and wet environments)
Glove Control	yes (in dry and wet environments)
Tip	max. material thickness 2 mm (depending on type of glove)
MAIN STORAGE	
Technology	LP-DDR4-SDRAM
Form Factor	LP
Quantity	1 x
Size	4 GB
max. Size	8 GB
HARD DISK	
Type	eMMC v5.0
Memory Capacity	64 GB
max. Size	256 GB
COMMUNICATING	
WLAN	IEEE 802.11 a/b/g/n/ac/r/k/v
frequency band	2.4 Ghz / 5 Ghz
WWAN	optional
GPS	yes
GPS Signal	GPS + GLONASS + Galileo
GPS Channels	48
Bluetooth	4.2
Class	2
READER	
Barcode Reader	optional (via BCE (Back-Cover-Extension))
RFID Reader	NFC
Frequency Range	13,56 MHz
Read	yes
AUDIO	
Speaker	yes
Microphone	yes
GATEWAYS	

USB 3.1 Type C	1 x
Docking Port	1 x
CARD SLOTS	
Card Reader	microSDXC (up to 2 TB), SmartCard (optional via back cover extension)
CAMERA	
Camera Front	2.0 megapixels
Autofocus	no
Fixfocus	yes
Lighting	no
Flash	no
Barcode-capable	no
Camera Rear	8.0 megapixels
Autofocus	yes
Fixfocus	no
Lighting	no
Flash	yes
Barcode-capable	yes
CERTIFICATIONS	
Tested Vertical Drop	1,2 m
Protection Class	IP 65
Disinfectable	yes
permissible liquid	Clorox, Diversey, Ethanol, Isopropyl, Olive Oil, Vaseline, Nivea Smooth Care Hand Creme
COLLATERAL	
Trusted Platform Modul	yes
Kensington Lock	yes
KEYS	
Power-Button	1
Volume Buttons	2
DETECTORS	
Accelerometer (G-Sensor)	yes
eCompass	yes
Gyrometer	yes
Light Sensor	yes
Proximity Sensor	yes
AMBIENT CONDITIONS	
Operating Temperature	20°C to 50°C
Storage Temperature	-20°C to 60°C
Operating Humidity	10% to 90% (non-condensing)

Storage Humidity	10% to 90% (non-condensing)
POWER SUPPLY	
Battery Type	lithium polymer
Quantity	1 x
Capacity	approx. 4.900 mAh
Battery Runtime up to	14 Stunden
Battery life Note	Manufacturer specifications (The actual runtime depends on your hardware and software configuration.)
Battery Charge Time (per battery)	3,5 Stunden
Exchangeable	yes
Hot-Swap	no
Warm-Swap	yes
Performance	10 Watt
Voltage Switching	100 - 240 V AC
Power Supply	10 Watt, external input: 100-240V AC / 50-60Hz Output: 5V DC / 2A (only via USB and with battery)
SHELL	
Chassis	Non-painted chemically durable plastic
Form of Structure	Slate
Weight	765 g
Colour	black
MEASUREMENTS	
Width	269 mm
Height	180,7 mm
Depth	12,7 mm
SCOPE OF SUPPLY	
Package Contents	Tablet-PC and power supply
LIFESPAN	
lifespan	until at least 2022
SERVICE	
Warranty	1 year bring-in
Warranty Battery	6 months
Optional Warranty Expansion	up to 3 years
Optional Service	protect bring-in service (3 years)
CERTIFICATIONS	
Quality	EXTRA Computer has a quality management system which is certified according to DIN ISO 9001