

Rittal – The System.

Faster – better – worldwide.

Universal light – SZ 4155.000

Date : Nov 11, 2013

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Universal light – SZ 4155.000

created : 11.11.2013 on www.rittal.com/com-en

Discontinued product



Product description

Description: Supply voltage: 110 - 240 V AC 50/60 Hz

Benefits: Simple, fast assembly

Material: Sheet steel

Supply includes: Assembly parts

Packs of: 1 pc(s).

EAN: 4028177092761

Customs tariff number: 94054095

Product features


Dimensions: Width: 345 mm
Height: 95 mm
Depth: 55 mm

Rated operating voltage: 110 – 240 V AC/1~/50 Hz
110 – 240 V AC/1~/60 Hz

Power consumption: 26 W

Equipment Ballast: Wide-range electronic ballast

(electrical): Light: Compact fluorescent lamp, base G24q-3
 Protection category: I (protectively earthed)
 Connection options :
 Power supply via connectors
 Through-wiring (creating rows of lights)
 Integral motion detector: x
 Switch (type): Integral, on/off/door-operated switch mode

Light – installation type:	Screw-fastening
Light – mounting option:	TS vertical section, with adaptor bracket AE/CM/TP, with universal bracket TS roof frame (horizontal section), direct AE, with rail for interior installation
Light cover:	x
Light cone adjustment:	x
Approvals	
Certificates	Sorry, there is currently no information available
Declarations	 Declaration of conformity (DE, EN)
Approvals	Sorry, there is currently no information available
Downloads / CAD	
Documentation	Sorry, there is currently no information available
Characteristic curves	Sorry, there is currently no information available
Videos	Sorry, there is currently no information available
Data sheets	Sorry, there is currently no information available
CAD-Drawing	Sorry, there is currently no information available

Rittal – The System.

Faster – better – worldwide.

- Enclosures
- Power distribution
- Climate control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postbox 1662 · D-35726 Herborn
Phone +49(0)2772 505-0 · Fax +49(0)2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

